


















**Product detailed parameters**

Serial No:	Image	Item No:	Item No:	Function	Features and Configuration	Packaging Detail
1		YC-SW5050-PIR	motion sensor solar wall lights	When using for the first time, press the switch. The solar panel automatically charges the battery during the day and automatically lights up at night, and automatically turns off the lights during the day.	<ol style="list-style-type: none"> <li>Solar Panel: polycrystalline silicon 5.5V 0.45W</li> <li>Storage Battery: 18650 IMR 3.7V 1200mAh</li> <li>Light Source: 1pcs SMT, 20pcs led</li> <li>Color Temperature: 6500~7000K <math>\Phi</math>: 0.5W 50-55lm</li> <li>Working Time: 8~10H Charging Time: 4.5H</li> <li>Waterproof Level: IP44</li> <li>Main Material: ABS、PP</li> <li>Product Size: 96*126*50mm</li> <li>Shell Color: Black</li> </ol>	Box size: 126*52*100mm/0.2kg Carton size: /kg 50PCs/CTN
2		YC-SW5010-PIR	motion sensor solar wall lights	When using for the first time, press the switch. The solar panel automatically charges the battery during the day and automatically lights up at night, and automatically turns off the lights during the day. (When there is no one coming, keep a quarter of the brightness state, when you come, it will automatically light up. the sensing distance is 5M, the sensing angle is 120 degrees. The person is on, the person is delayed for 30 seconds)	<ol style="list-style-type: none"> <li>Solar Panel: polycrystalline silicon 5.5V 2.2W</li> <li>Storage Battery: 18650 Li-ion 3.7V 2200mAh</li> <li>Light Source: 1pcs SMT, 38pcs led</li> <li>Color Temperature: 6500~7000K <math>\Phi</math>: 0.5W 50-55lm</li> <li>Working Time: 8~10H Charging Time: 4.5H</li> <li>Waterproof Level: IP44</li> <li>Main Material: ABS、PP</li> <li>Product Size: 210*115*110mm</li> <li>Shell Color: Black</li> </ol>	Box size: 220*123*93mm/0.7kg Carton size: /kg 20PCs/CTN
3		YC-SW6011-PIR	motion sensor solar wall lights	When using for the first time, press the switch. The solar panel automatically charges the battery during the day and automatically lights up at night, and automatically turns off the lights during the day. (When there is no one coming, keep a quarter of the brightness state, when you come, it will automatically light up. the sensing distance is 5M, the sensing angle is 120 degrees. The person is on, the person is delayed for 30 seconds)	<ol style="list-style-type: none"> <li>Solar Panel: polycrystalline silicon 5.5V 2.5W</li> <li>Storage Battery: 18650 Li-ion 3.7V 2200mAh</li> <li>Light Source: 1pcs SMT, 36pcs led</li> <li>Color Temperature: 6500~7000K <math>\Phi</math>: 0.5W 50-55lm</li> <li>Working Time: 8~10h Charging Time: 4.5h</li> <li>waterproof level: IP44</li> <li>Main Material: ABS、PP</li> <li>Product Size: 30*180*110mm</li> </ol>	Box size: 120*35*190mm/0.4kg Carton size: 390*380*250MM/11kg 40PCs/CTN

4		YC-SW6060-PIR	motion sensor solar wall lights	<p>When using for the first time, press the switch. The solar panel automatically charges the battery during the day and automatically lights up at night, and automatically turns off the lights during the day. (When there is no one coming, keep a quarter of the brightness state, when you come, it will automatically light up. the sensing distance is 5M, the sensing angle is 120 degrees. The person is on, the person is delayed for 30 seconds)</p>	<ol style="list-style-type: none"> <li>Solar Panel:polycrystalline silicon 4V 0.4W</li> <li>Storage Battery:14500 Li-ion 3.2V 500mAh</li> <li>Light Source:2pcs SMT</li> <li>Color Temperature:6500~7000K Φ:0.5W 50-55lm</li> <li>Working Time:8~10H Charging Time:4.5H</li> <li>Waterproof Level:IP44</li> <li>Main Material:ABS、 PP</li> <li>Product Size:30*180*110mm</li> </ol>	<p>Box size: 18*8.6*6.4cm /0.3kgs Carton size: 37.5*27.3*27.6cm/7.8kgs 24pcs/CTN</p>
5		YC-SW8014-PIR	motion sensor solar wall lights	<p>When using for the first time, press the switch. The solar panel automatically charges the battery during the day and automatically lights up at night, and automatically turns off the lights during the day. (When there is no one coming, keep a quarter of the brightness state, when you come, it will automatically light up. the sensing distance is 5M, the sensing angle is 120 degrees. The person is on, the person is delayed for 30 seconds)</p>	<ol style="list-style-type: none"> <li>Solar Panel:polycrystalline silicon5.5V 2W</li> <li>Storage Battery:Li-ion 18650 3.7V 2200mAh</li> <li>Light Source:1pcs SMT,28pcs led</li> <li>Color Temperature:6500~7000K Φ:0.5W 50-55lm</li> <li>Working Time:8~10H Charging Time:4.5H</li> <li>Waterproof Level:IP44</li> <li>Main Material:ABS、 PPA</li> <li>Product Size:210*115*85mm</li> <li>Shell Color: Black</li> </ol>	<p>Box size: Carton size:</p>
6		YC-SW6080-PIR	Double sensor solar wall light	<p>duoble sensor ,auto turn on at night,and auto turn off in daytime.with 60 times motion sensor in one night. and full light 150LM when sensor is triggered,and 10Lm with Dim light. keep 37 seconds sensor and return to dim light afterwards.2 Meters away sensor distance.</p>	<ol style="list-style-type: none"> <li>Solar Panel:Polycrystalline 120*45mm 5V/0.8W</li> <li>Storage Battery:Li-ion 18650 3.7V 2200mAh</li> <li>Light Source:1pcs SMT,18pcs led</li> <li>Color Temperature:6500~7000K Φ:0.5W 50-55lm</li> <li>Working Time:8~10H Charging Time:4.5H</li> <li>Waterproof Level:IP44</li> <li>Main Material: ABS,PS</li> <li>Product Size:168*95X36mm</li> <li>Shell Color:grayish white</li> </ol>	<p>Box size: 10*4*16.8cm /0.4kgs / 2 pcs Carton size: 32*42*36cm/12kgs /0.048CBM / 60pcs/CTN</p>
7		YC-SW6081-PIR	motion sensor solar wall lights	<p>When using for the first time, press the switch. The solar panel automatically charges the battery during the day and automatically lights up at night, and automatically turns off the lights during the day.</p>	<ol style="list-style-type: none"> <li>Solar Panel:Polycrystalline 5.5V 0.55W</li> <li>Storage Battery:18650 Li-ion 3.7V 2200mAh</li> <li>Light Source:1pcs SMT,37pcs led</li> <li>Color Temperature:6500~7000K Φ:0.5W 50-55lm</li> <li>Working Time:6-8H Charging Time:4.5H</li> <li>Waterproof Level:IP44</li> <li>Main Material: ABS PS</li> <li>Product Size:155x115x70mm</li> <li>Shell Color:Black/ White/Gold</li> </ol>	

8		YC-SW6040	solar warn light	Auto light at night,auto off in daytime.	1.Solar Panel:Polycrystalline silicon 79*28.5mm 2V 90MA 2.Storage Battery:1.2V/600mAh AA Ni-MH 3.Light Source:2pcs led 4.Working Time:8-12H Charging Time:4.5H 5.Waterproof Level:IP44 6.Main Material: ABS、 PS 7.Product Size:100 X 23 X 83mm 8.Shell Color: silver	Box size: 8.3*5.1*10.9cm /0.22KGS/2pcs Carton size:44*28*24CM/12 kgs 100pcs/CTN
9		YC-SW6061	Solar plastic wall lights	Light control, solar panels charge the battery during the day and automatically light up at night	1.Solar Panel:polycrystalline silicon 2V/120mA 2.Storage Battery:1.2V/1200mAh AA Ni-MH 3.Light Source:2pcs led 4.Color Temperature:6500~7000K Φ:0.5W 50-55lm 5.Working Time:8~10h Charging Time:4.5h 6.Waterproof Level:IP44 7.Main Material:ABS、 PP 8.Product Size: 90x51x130mm 9.Shell Color:Black	Box size: 11*6*13.8cm /0.24kgs Carton size: 57*32*29.5CM/6.2kgs 50pcs/CTN
10		YC-SW8012	Solar plastic wall lights	Light control, solar panels charge the battery during the day and automatically light up at night.	1.Solar Panel:polycrystalline silicon 5.5V 0.55W 2.Storage Battery:18650 Li-ion 3.7V 2200mAh 3.Light Source:1pcs SMT,12pcs led 4.Color Temperature:6500~7000K Φ:0.5W 50-55lm 5.Working Time:8~10h Charging Time:4.5h 6.Waterproof Level:IP44 7.Main Material:ABS、 PP 8.Product Size:45*120*110mm 9.Shell Color:Black	
11		YC-SW6067	solar wall led spot light	Light control, solar panels charge the battery during the day and automatically light up at night.	1.Solar Panel:polycrystalline silicon 5.5V 2W 2.Storage Battery:18650 Li-ion 3.7V 2200mAh 3.Light Source:48PCS LED *0.2W 4.Color Temperature:6500~7000K Φ:0.5W 50-55lm 5.Working Time:8~10H Charging Time:4.5H 6.Waterproof Level:IP44 7.Main Material:ABS、 PP 8.Product Size:145*145mm	
12		YC-SW6064	solar wall led spot light	Light control, solar panels charge the battery during the day and automatically light up at night.	1.Solar Panel:polycrystalline silicon5V 2W 300MA 2.Storage Battery:18650 Li-ion 3.7V 2200mAh 3.Light Source:4pcs LED*0.5W 4.Color Temperature:6500~7000K Φ:0.5W 50-55lm output (High mode:200LM, Low mode :40LM). 5.Working Time:8~10H Charging Time:4.5H 6.Waterproof Level:IP44 7.Main Material:ABS、 PPA 8.Product Size:290*95*340mm 9.Shell Color:Black	Box size: 19.3*15*10 /0.4kgs Carton size: 41*54*48CM/13.5kgs 30pcs/CTN

13		YC-SW8010	Torch Solar garden lights	The torch light does not require a battery. Fully operating solar energy.	<ol style="list-style-type: none"> <li>Solar Panel:polycrystalline silicon 5.5V 1.2W</li> <li>Storage Battery:18650 Li-ion 3.7V 1500mAh</li> <li>Light Source: 99pcs LED</li> <li>Color Temperature:3000K Φ:0.5W 50-55lm</li> <li>Working Time:8~10H Charging Time:4.5H</li> <li>Waterproof Level:IP44</li> <li>Main Material:ABS、PPA</li> <li>Product Size:315*115*105mm</li> <li>Shell Color:Black</li> </ol>	Box size: 325*125*130MM
14		YC-SW8011	Torch Solar garden lights	The torch light does not require a battery. Fully operating solar energy.	<ol style="list-style-type: none"> <li>Solar Panel:polycrystalline silicon 5.5V 1.2W</li> <li>Storage Battery:18650 Li-ion 3.7V 1500mAh</li> <li>Light Source: 99pcs LED</li> <li>Color Temperature:3000K Φ:0.5W 50-55lm</li> <li>Working Time:8~10H Charging Time:4.5H</li> <li>Waterproof Level:IP44</li> <li>Main Material:ABS、PPA</li> <li>Product Size:315*115*105mm</li> <li>Shell Color:Black</li> </ol>	Box size: 325*125*130MM
15		YC-SW7210	Solar flame torch light	Hanging, solar powered dancing flames Light, ON/OFF switch,auto on at night,auto off in daytime.	<ol style="list-style-type: none"> <li>Solar panels:polycrystalline silicon 74mm*37mm*2.0mm 2V 0.72W</li> <li>Battery:NI-MH AA 1500mAh 1.2V battery</li> <li>Light source:LED 75pcs*2835#0.2W</li> <li>Brightness: 30-40LM</li> <li>KelvinTemperature: 1700K-1800K</li> <li>Work Time:10-12H Charge Time: 6H</li> <li>Waterproof Level:IP44</li> <li>Main Material:ABS+PS</li> <li>Color:grey + white+black</li> <li>Product Size:90*90*138.2mm</li> </ol>	Box size: 9.5*9.5*14.8cm/0.33kgs Carton size: 49*39*32cm / 40 pcs/ CTNS 14.5kgs
16		YC-SW9010	Solar String Lights	Light control, solar panels charge the battery during the day and automatically light up at night.	<ol style="list-style-type: none"> <li>Solar panels: polycrystalline silicon 2V 150mA</li> <li>Battery:Ni-MH AA 1.2V 800mAh</li> <li>Light source: 200 meters 200*LED</li> <li>Brightness: 30-40LM</li> <li>KelvinTemperature:White light, purple light, red light, blue light, green light, warm white light, yellow light, pink light, color light</li> <li>Work Time:10-12H Charge Time:6H</li> <li>Waterproof Level:IP44</li> <li>Main Material:ABS、PS</li> <li>Shell Color:Black</li> <li>Product Size:200meters</li> </ol>	

17		YC-SW9011	Solar String Lights	Light control, solar panels charge the battery during the day and automatically light up at night.	1.Solar panels: polycrystalline silicon 2V 150mA 2.Battery:Ni-MH AA 1.2V 800mAh 3.Light source:10 meters 100*LED 4.Brightness:30-40LM 5.KelvinTemperature:White light, purple light, red light, blue light, green light, warm white light, yellow light, pink light, color light 6.Work Time:10-12H Charge Time: 6H 7.Waterproof Level:IP44 8 Main Material:ABS、 PS 9.Shell Color:Black 10.Product Size:10meters	
----	---	-----------	---------------------	--	---	--

Remarks:

- 1.Belivery time:in 16 days after payment. small order in 7 days.
- 2.Payment Terms: 30% before produce and balance before shipment.
- 3.Shipping term:EX-W Zhongshan
- 4.Warranty:1 Year
- 5.Packing:neutral white box with manual instruction. if qty over 1000pcs each,can make OEM Color box.